Physica C 202 (1992) 409–412
North-Holland

PHYSICA C

Author Index to Volume 202

Adam, R., see M. Mahel **202**, 243
Aharoni, E., G. Koren, D. Cohen and D. Cohen, Flux focusing in all high-T_c Josephson edge junctions and SQUIDs **202**, 263
Akimitsu, J., see Y. Miyazaki **202**, 162
Alimoussa, A., M.J. Casanove, M. Schwerdtfeger, C. Villard and J.C. Villegier, Microstructure and electrical properties of $La_{2-x}Sr_xCuO_4$–$YBa_2Cu_3O_{7-\delta}$ multilayers deposited by laser ablation **202**, 23
Aomine, T., see T. Fukami **202**, 167

Becker, W., see S. Elschner **202**, 407
Bedekar, M.M., A. Safari and W. Wilber, Superconducting thin films of Bi–Sr–Ca–Cu–O by laser ablation **202**, 42
Beňačka, Š., see M. Mahel **202**, 243
Bente, K., W. Blum, R. Gaebel, J. Pebler and P. Schmid-Beurmann, Crystal structure and valency properties of superconducting phases of $Ba(Pb, Bi, Sb)O_3$ perovskites **202**, 379
Berthold, L., see D. Hesse **202**, 277
Berthold, L., see H.P. Lang **202**, 289
Bestgen, H., see S. Elschner **202**, 407
Bettahi, A., see J. Marfaing **202**, 19
Bezuglyj, A.I. and V.A. Shklovskij, Effect of self-heating on flux flow instability in a superconductor near T_c **202**, 234
Bhagat, S.M., see J.S. Ramachandran **202**, 151
Blum, W., see K. Bente **202**, 379
Boasson, H., see D. Shaltiel **202**, 303
Boulesteix, C., see J. Marfaing **202**, 19
Brand, M., see S. Elschner **202**, 407
Brandt, E.H., see R.P. Huebener **202**, 321
Brill, J.W., see Z. Xu **202**, 256
Brown, L.M., see N.D. Browning **202**, 12
Browning, N.D., J. Yuan and L.M. Brown, Determination of the local oxygen stoichiometry in $YBa_2Cu_3O_{7-\delta}$ by electron energy loss spectroscopy in the scanning transmission electron microscope **202**, 12

Caplin, A.D., see F.J. Muller **202**, 268
Casanove, M.J., see A. Alimoussa **202**, 23
Cavin, O.B., see F.A. List **202**, 134
Chen, Y.-C., On the instability and phase separation of a doped 2D antiferromagnet **202**, 345
Chen, Y.Y., see C.C. Lai **202**, 104
Chiou, B.S., see C.C. Lai **202**, 104
Chisholm, M.F., see S.J. Pennycook **202**, 1
Chromik, S., see K. Fröhlich **202**, 121
Chromik, Š., see M. Mahel **202**, 243
Chumbley, L.S., see T.G. Holesinger **202**, 109
Cichorek, T., see Z. Henkie **202**, 97
Cohen, D., see E. Aharoni**202**, 263
Cucolo, A.M., C. Noce and A. Romano, Influence of a linear term on the density of states of high-T_c superconductors **202**, 33

Dabrowski, B., see J.P. Zhang **202**, 51
Dabrowski, B., K. Zhang, J.J. Pluth, J.L. Wagner and D.G. Hinks, Single-crystal growth and characterization of $YBa_2Cu_4O_8$ with $T_c \sim 80$ K **202**, 271
Da-ning, S., see X. Ming-wen **202**, 363
Darula, M., see M. Mahel **202**, 243
Datars, W.R., see R.K. Nkum **202**, 371
DeLoach, D.I., see J.P. Zhang **202**, 51
DeLong, L.E., see Z. Xu **202**, 256
Dennis, K.W., see T.G. Holesinger **202**, 109
Dordor, P., see J.-C. Grenier **202**, 209
Doumerc, J.-P., see J.-C. Grenier **202**, 209
Dravid, V.P., see J.P. Zhang **202**, 51
Drulis, H., see Z. Xu **202**, 256

Elschner, S., W. Becker, H. Bestgen and M. Brand, Oxygenation control of $YBa_2Cu_3O_{6+z}$ polycrystalline samples via in situ determination of electric conductivity **202**, 407
Endoh, Y., see S. Hosoya **202**, 188
Etourneau, J., see J.-C. Grenier **202**, 209

Feenstra, R., see S.J. Pennycook **202**, 1
Fischer, Ø., see P.F. Herrmann **202**, 61
Fischer, P., see D. Shaltiel **202**, 303
Franz, J., see T. Ishida **202**, 356
Fröhlich, K., J. Šouc, S. Chromik, D. Machajdik and V. Kliment, MOCVD of $YBa_2Cu_3O_{7-x}$ thin films using a Ba fluorocarbon-based precursor **202**, 121
Fueki, K., see Y. Idemoto **202**, 127
Fukami, T., K. Miyoshi, T. Nishizaki, Y. Horie, F. Ichikawa and T. Aomine, Hysteresis in magnetic field and field-direction dependence of critical current in $Bi_2Sr_2CaCu_2O_{8+y}$ **202**, 167

Gaebel, R., see K. Bente **202**, 379
Gallop, J.C., see F.J. Muller **202**, 268
Gerhouser, W., see D. Shaltiel **202**, 303
Ginodman, V., see D. Shaltiel **202**, 303
Golosovsky, M., see D. Shaltiel **202**, 303
Goodenough, J.B., see J.-C. Grenier **202**, 209
Grenier, J.-C., N. Lagueyte, A. Wattiaux, J.-P. Doumerc, P. Dordor, J. Etourneau, M. Pouchard, J.B. Goodenough and J.S. Zhou, Transport and magnetic properties of the

superconducting $La_2CuO_{4+\delta}$ phases ($0<\delta<0.09$) prepared by electrochemical oxidation **202**, 209
Grill, R., see P.F. Herrmann **202**, 61
Gritzner, G., see W. König **202**, 37
Groenke, D.A., see J.P. Zhang **202**, 51
Güntherodt, H.-J., see D. Hesse **202**, 277
Güntherodt, H.-J., see H.P. Lang **202**, 289

Haefke, H., see D. Hesse **202**, 277
Haefke, H., see H.P. Lang **202**, 289
Han, Z., see T.I. Selinder **202**, 69
Hashimoto, K., see T. Uzumaki **202**, 175
Helmersson, U., see T.I. Selinder **202**, 69
Henkie, Z., T. Cichorek, A. Wojakowski, R. Horyń and W. Iwasieczko, Thermopower sign inversion due to deoxygenation of hopping conductor $Bi_{1.6}Sr_{2.4}NdCu_2O_{8+x}$ **202**, 97
Hermann, R.D., S.M. Kanetkar, S.B. Ogale, K.C. Rajkumar, A. Madhukar, N. Parikh and B. Patnaik, Investigation of voltage stets of U(I) curce in $PbMo^6S^8$ wires **202**, 61
Herrmann, P.F., L. Schellenberg, J. Zuccone, B. Seeber, Ø. Fischer, R. Grill and J.A.A.J. Perenboom, Investigation of voltage steps of $U(I)$ curves in $PbMo_6S_8$ wires **202**, 61
Hesse, D., L. Berthold, H. Haefke, H.P. Lang, R. Sum and H.-J. Güntherodt, Structure and growth of $YBa_2Cu_3O_{7-\delta}$ thin films on Mg_2TiO_4 (001) I. Growth conditions and film structure: transmission electron microscopy **202**, 277
Hesse, D., see H.P. Lang **202**, 289
Hinks, D.G., see B. Dabrowski **202**, 271
Hirai, T., see Y. Miyazaki **202**, 162
Ho, J.C., see C.C. Lai **202**, 104
Holesinger, T.G., D.J. Miller, L.S. Chumbley, M.J. Kramer and K.W. Dennis, Characterization of the phase relations and solid solution range of the $Bi_2Sr_2Ca_1Cu_2O_y$ superconductor **202**, 109
Horie, Y., see T. Fukami **202**, 167
Horyń, R., see Z. Henkie **202**, 97
Hosoya, S., T. Omata, K. Nakajima, K. Yamada and Y. Endoh, Oxygen doping and phase separation in $La_2NiO_{4+\delta}$ **202**, 188
Hou, J.-C., see Z. Xu **202**, 256
Hsu, H., see F.A. List **202**, 134
Huang, M.X., see J.S. Ramachandran **202**, 151
Hubbard, C.R., see F.A. List **202**, 134
Huebener, R.P. and E.H. Brandt, Forces acting on the vortex lattice in the presence of flux pinning **202**, 321

Ichikawa, F., see T. Fukami **202**, 167
Idemoto, Y., Y. Itoh and K. Fueki, Oxygen nonstoichiometry and high-temperature conductivity of Nd–Ce–Sr–Cu–O superconducting oxide **202**, 127
Ishida, T., J. Franz, J. Reiner and W. Schauer, Two-step transition in irreversibility lines of $YBa_2Cu_3O_7$ films **202**, 356
Itoh, Y., see Y. Idemoto **202**, 127
Iwasieczko, W., see Z. Henkie **202**, 97

Jefferson, D.A., see W. Zhou **202**, 335
Jesson, D.E., see S.J. Pennycook **202**, 1

Kamehara, N., see T. Uzumaki **202**, 175
Kamo, T., see W. Zhou **202**, 335
Kanetkar, S.M., see R.D. Hermann **202**, 61
Katz, U., see D. Shaltiel **202**, 303
Khalfin, I.B. and B.Ya. Shapiro, Multivortex states in large pinning centers **202**, 393
Kish, K., see J.S. Ramachandran **202**, 151
Kliment, V., see K. Fröhlich **202**, 121
Kobayashi, N., see Y. Miyazaki **202**, 162
Koblischka, M.R., see Th. Schuster **202**, 249
König, W. and G. Gritzner, Fabrication of $Y_{1-x}Ca_xBa_2Cu_4O_y$ superconductors from citrate and tartrate gel precursors at ambient pressure **202**, 37
Konovalov, A.A., see O.E. Parfionov **202**, 385
Koren, G., see E. Aharoni **202**, 263
Kramer, M.J., see T.G. Holesinger **202**, 109
Kroeger, D.M., see F.A. List **202**, 134
Kronmüller, H., see Th. Schuster **202**, 249
Ku, H.C., see C.C. Lai **202**, 104
Kuhn, H., see Th. Schuster **202**, 249
Kwasnitza, K. and Ch. Widmer, Hysteretic time dependence of the critical intergrain transport current in sintered $YBa_2Cu_3O_7$ **202**, 75

Labdi, S., see F.J. Muller **202**, 268
Lagueyte, N., see J.-C. Grenier **202**, 209
Lai, C.C., B.S. Chiou, Y.Y. Chen, J.C. Ho and H.C. Ku, Anomalous Pr ordering in the new $TlBa_2PrCu_2O_{7-\delta}$ compound **202**, 104
Lang, H.P., see D. Hesse **202**, 277
Lang, H.P., H. Haefke, R. Sum, H.-J. Güntherodt, L. Berthold and D. Hesse, Structure and growth of $YBa_2Cu_3O_{7-\delta}$ thin films on Mg_2TiO_4 (001). II. Surface morphology: scanning probe methods **202**, 289
Lee, D.F., V. Selvamanickam and K. Salama, Influences of Y_2BaCuO_5 particle size and content on the transport critical current density of $YBa_2Cu_3O_x$ superconductor **202**, 83
Lian, Z., see F. Yong **202**, 298
Liang, W.Y., see W. Zhou **202**, 335
List, F.A., H. Hsu, O.B. Cavin, W.D. Porter, C.R. Hubbard and D.M. Kroeger, Phase development in the $Bi_2Sr_2CaCu_2O_y$ system. Effects of oxygen pressure **202**, 134
Lowndes, D.J., see S.J. Pennycook **202**, 1
Ludescher, B., see Th. Schuster **202**, 249

Machajdik, D., see K. Fröhlich **202**, 121
Madhukar, A., see R.D. Hermann **202**, 61
Mahel, M., R. Adam, M. Darula, Š. Chromik and Š. Beňačka, DC and microwave properties of $YBa_2Cu_3O_x$ thin films in a weak magnetic field **202**, 243
Marfaing, J., A. Bettahi and C. Boulesteix, High-temperature superconductive wires by $YBa_2Cu_3O_7$ coating onto Fe-based substrates **202**, 19
Markiewicz, R.S., see C. Testelin **202**, 219

Marks, L.D., see J.P. Zhang **202**, 51
Matsuda, S.P., see W. Zhou **202**, 335
Miller, D.J., see T.G. Holesinger **202**, 109
Ming-wen, X., L. Zheng-zhong and S. Da-ning, Effects of non-magnetic doping on high-T_c cuprates **202**, 363
Miyazaki, Y., H. Yamane, N. Kobayashi, T. Hirai, H. Nakata, K. Tomimoto and J. Akimitsu, $(C_{0.35}Cu_{0.65})Sr_2(Y_{0.73}Ce_{0.27})_2Cu_2O_x$. A new superconductor containing CO_3 **202**, 162
Miyoshi, K., see T. Fukami **202**, 167
Mokhtari, M., C. Perrin, O. Peña and M. Sergent, Influence of iodine insertion on the YBaCuO superconducting properties **202**, 141
Muller, F.J., J.C. Gallop, A.D. Caplin, S. Labdi and H. Raffy, A DC SQUID using natural grain boundaries in BSCCO **202**, 268

Nakajima, K., see S. Hosoya **202**, 188
Nakata, H., see Y. Miyazaki **202**, 162
Nishizaki, T., see T. Fukami **202**, 167
Nkum, R.K., A. Punnett and W.R. Datars, Substitution of 3d metals for Cu in $(Bi, Pb)_2Sr_2Ca_2Cu_3O_y$ **202**, 371
Noce, C., see A.M. Cucolo **202**, 33

Ogale, S.B., see R.D. Hermann **202**, 61
Omata, T., see S. Hosoya **202**, 188

Parfionov, O.E. and A.A. Konovalov, Influence of structural changes on electronic states in the 1-2-3 HTSC system **202**, 385
Parikh, N., see R.D. Hermann **202**, 61
Patnaik, B., see R.D. Hermann **202**, 61
Pebler, J., see K. Bente **202**, 379
Peña, O., see M. Mokhtari **202**, 141
Pennycook, S.J., M.F. Chisholm, D.E. Jesson, R. Feenstra, S. Zhu, X.Y. Zheng and D.J. Lowndes, Growth and relaxation mechanisms of $YBa_2Cu_3O_{7-x}$ films **202**, 1
Perenboom, J.A.A.J., see P.F. Herrmann **202**, 61
Perrin, C., see M. Mokhtari **202**, 141
Pluth, J.J., see B. Dabrowski **202**, 271
Poeppelmeier, K.R., see J.P. Zhang **202**, 51
Porter, W.D., see F.A. List **202**, 134
Pouchard, M., see J.-C. Grenier **202**, 209
Punnett, A., see R.K. Nkum **202**, 371

Raffy, H., see F.J. Muller **202**, 268
Rajkumar, K.C., see R.D. Hermann **202**, 61
Ramachandran, J.S., M.X. Huang, S.M. Bhagat, K. Kish and S. Tyagi, Microwave absorption and resistively shunted Josephson junctions in high temperature CuO superconductors **202**, 151
Ramakrishna, K., see G.D. Verma **202**, 327
Reiner, J., see T. Ishida **202**, 356
Romano, A., see A.M. Cucolo **202**, 33

Safari, A., see M.M. Bedekar **202**, 42
Salama, K., see D.F. Lee **202**, 83
Schauer, W., see T. Ishida **202**, 356
Schellenberg, L., see P.F. Herrmann **202**, 61
Schmid-Beurmann, P., see K. Bente **202**, 379
Schuster, Th., M.R. Koblischka, H. Kuhn, B. Ludescher and H. Kronmüller, Geometry dependence of intergranular currents in sintered $YBa_2Cu_3O_{7-\delta}$ **202**, 249
Schwerdtfeger, M., see A. Alimoussa **202**, 23
Seeber, B., see P.F. Herrmann **202**, 61
Selinder, T.I., U. Helmersson, Z. Han, J.-E. Sundgren, H. Sjöström and L.R. Wallenberg, Yttrium oxide inclusions in $YBa_2Cu_3O_x$ thin films. Enhanced flux pinning and relation to copper oxide surface particles **202**, 69
Selvamanickam, V., see D.F. Lee **202**, 83
Sergent, M., see M. Mokhtari **202**, 141
Shaltiel, D., V. Ginodman, M. Golosovsky, U. Katz, H. Boasson, W. Gerhouser and P. Fischer, Investigation of the magnetic field-induced microwave absorption across T_c in single crystals of $YBa_2Cu_3O_{7-\delta}$ and BiSrCaCuO. Anisotropy and magnetic field dependence **202**, 303
Shapiro, B.Ya., see I.B. Khalfin **202**, 393
Shimakawa, Y., Low-temperature crystal structures of $Tl_2Ba_2CuO_{6+\delta}$ and $TlSr_2CaCu_2O_{7-\delta}$ **202**, 199
Shklovskij, V.A., see A.I. Bezuglyj **202**, 234
Sjöström, H., see T.I. Selinder **202**, 69
Soeta, A., see W. Zhou **202**, 335
Šouc, J., see K. Fröhlich **202**, 121
Srivastava, O.N., see G.D. Verma **202**, 327
Sum, R., see D. Hesse **202**, 277
Sum, R., see H.P. Lang **202**, 289
Sundgren, J.-E., see T.I. Selinder **202**, 69

Testelin, C. and R.S. Markiewicz, Optically detected flux lattice melting above the irreversibility line in $Bi_2Sr_2CaCu_2O_8$ **202**, 219
Tomimoto, K., see Y. Miyazaki **202**, 162
Tyagi, S., see J.S. Ramachandran **202**, 151

Uzumaki, T., K. Hashimoto and N. Kamehara, Raman scattering and X-ray diffraction study in layered cuprates **202**, 175

Verma, G.D., K. Ramakrishna and O.N. Srivastava, On electron microscopic studies of structural characteristics of the Tl(Bi, Pb)–Sr–Ca–Cu–O high-temperature superconductor **202**, 327
Villard, C., see A. Alimoussa **202**, 23
Villegier, J.C., see A. Alimoussa **202**, 23

Wagner, J.L., see B. Dabrowski **202**, 271
Wallenberg, L.R., see T.I. Selinder **202**, 69
Wattiaux, A., see J.-C. Grenier **202**, 209
Widmer, Ch., see K. Kwasnitza **202**, 75
Wilber, W., see M.M. Bedekar **202**, 42
Wojakowski, A., see Z. Henkie **202**, 97

Xu, Z., H. Drulis, J.-C. Hou, L.E. DeLong and J.W. Brill,

Double-peak in the dissipation of $NbSe_2$ vibrating reeds **202**, 256

Yamada, K., see S. Hosoya **202**, 188
Yamane, H., see Y. Miyazaki **202**, 162
Yong, F. and Z. Lian, Superconducting properties and microstructures of the powder melting processed Y–Ho–Ba–Cu–O and Y–Gd–Ba–Cu–O superconductors **202**, 298
Yuan, J., see N.D. Browning **202**, 12

Zhang, H., see J.P. Zhang **202**, 51
Zhang, J.P., D.A. Groenke, H. Zhang, D.I. DeLoach, B. Dabrowski, K.R. Poeppelmeier, V.P. Dravid and L.D. Marks, Local structure of $Y_{1-x}Ca_xSr_2Cu_2GaO_7$ superconductors **202**, 51
Zhang, K., see B. Dabrowski **202**, 271
Zheng, X.Y., see S.J. Pennycook **202**, 1
Zheng-zhong, L., see X. Ming-wen **202**, 363
Zhou, J.S., see J.-C. Grenier **202**, 209
Zhou, W., D.A. Jefferson, W.Y. Liang, A. Soeta, T. Kamo and S.P. Matsuda, Surface atomic images of superconducting $(Tl, Pb)Sr_2Ca_2Cu_3O_9$ **202**, 335
Zhu, S., see S.J. Pennycook **202**, 1
Zuccone, J., see P.F. Herrmann **202**, 61

Physica C 202 (1992) 413
North-Holland

PHYSICA C

Analytic Subject Index to Volume 202

AC susceptibility 356
Analytical electron microscopy (AES) 109
Anderson lattice 363
Anisotropic superconductor 167, 303
Antiferromagnetic order 104, 175, 188, 345
Applications of high-T_c superconductors 19, 61

Carrier concentration 127, 385
Copper valence 127
Critical current density 37, 61, 75, 83, 121, 167, 243, 249, 298
Cu–O plane 345

Defect structures 69, 83, 289
Density of states 33

EELS 12
Electrical resistivity 19, 23, 61, 83, 97, 127, 209, 256, 401
Electron-doped superconductor 175
Electronic structure 175
Electron microscopy 23, 69, 141

Far-infrared spectra 219
Flux dynamics 61, 256
Flux flow 234
Flux focusing 263
Flux lattice 219, 321, 393
Flux pinning 1, 69, 83, 167, 219, 321, 393

Grain boundaries 12, 401
Granular superconductivity 75, 151, 243, 249, 298, 371
Growth mechanisms 1

Harmonic susceptibility 356
HREM 335

Irreversibility line 356

Josephson effect 263
Josephson junction 151
Josephson penetration depth 249

Lattice parameters 162, 199

Magnetic relaxation 75, 393
Magnetic susceptibility 104, 188
Magnetization 188
Meissner effect 263
Metal–insulator transition 385
Microstructure 401
Microwave absorption 151, 243, 303
MOCVD 121
Modulated structures 327
Mössbauer spectroscopy 379
Multilayers 23

Neutron diffraction 188
Non-ohmic behaviour 75, 356, 393

Optical reflectivity 219
O–T transition 141, 385
Oxygen stoichiometry 12, 42, 97, 127, 188, 385, 401

Pair breaking 363, 371
Phase diagram 109, 134, 209, 219
Phase segregation 209
Phase separation 345

Raman scattering 175

Scanning electron microscopy 12, 19
Scanning tunneling microscopy 1, 289
Self-heating 234
Single-crystal growth 271
Specific heat 33, 104
Spin fluctuation 175
SQUID 263, 268
Structure
–in $Y_{1-x}Ca_xSr_2Cu_2GaO_7$ 51
–of $BaPb_{0.70}Sb_{0.20}Bi_{0.05}O_3$ 379
–of $BaPbO_3$ 379
–of $Bi_2Sr_2CaCu_2O_8$ 134
–of $La_2CuO_{4+\delta}$ 209
–of $Tl_2Ba_2CuO_{6+\delta}$ 199
–of $TlBa_2PrCu_2O_{7-\delta}$ 104
–of Tl(Bi,Pb)–Sr–Ca–Cu–O 327
–of $TlSr_2CaCu_2O_{7-\delta}$ 199
–of $YBa_2Cu_3O_{7-\delta}$ 277
–of $YBa_2Cu_4O_8$ 271
Substitution effects 109, 298, 363
–in $(Bi,Pb)_2Sr_2Ca_2Cu_3O_y$ 371
–in $Bi_{1.6}Sr_{2.4}NdCu_2O_{8+x}$ 97
–in Tl(Bi,Pb)–Sr–Ca–Cu–O 327
–in $Y_{1-x}Ca_xSr_2Cu_2GaO_7$ 51
Surface impedance 42, 409
Surface structure
–of $(Tl,Pb)Sr_2Ca_2Cu_3O_9$ 335
Synthesis
–of $Bi_2Sr_2CaCu_2O_8$ 134
–of Bi–Sr–Ca–Cu–O 42
–of $(C_{0.35}Cu_{0.65})Sr_2(Y_{0.73}Ce_{0.27})_2Cu_2O_x$ 162
–of $Y_{1-x}Ca_xBa_2Cu_4O_y$ 37
–of $YBa_2Cu_3O_{7-x}$ 121
–of $YBa_2Cu_3O_x$ 141

Thermal expansion 199
Thermoelectric effects 97, 209, 321
Thin-film growth 277, 289
Thin films 1, 42, 69, 121, 234, 243, 268
Transmission electron microscopy 1, 277
Tunneling 33
Twin boundaries 51

Ultrasound attenuation 33

Vibrating reed 256
Vortex phase diagram 303

Weak links 151, 268

X-ray diffraction 37, 134, 162, 271, 371

$YBa_2Cu_3O_7$ film 356